



DECLARATION OF PERFORMANCE

DoP Nr. KEW - 1109-BPR-0045 - en

1. Unique identification code of the product-type: Frame Plug RD
2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):
ETA-08/0191 Annex A2
Batch number: see packaging
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

generic type	Plastic anchor for multiple use for non-structural applications
for use in	reinforced or unreinforced normal weight concrete of strength class C12/15 at minimum and Solid masonry
option / category	a, b
loading	The anchor is to be used only for multiple fixing for non-structural
material	Polyamid papyrus white Steel, electrogalvanized only in dry internal conditions covered sizes: ø10 stainless steel dry internal conditions and also in structures atmospheric exposure (including industrial and marine environment), or exposure in permanently damp internal conditions covered sizes: ø10
temperature range (if applicable)	ETA-08/0191 Annex B1 / B2

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

KEW Kunststoffzeugnisse GmbH Wilthen
Dresdener Straße 19
02681 Wilthen
Germany

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

--

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 2+

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

--

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment:

DIBt Deutsches Institut für Bautechnik

has been issued:

ETA-08/0191

of

10.12.2013

on the basis of:

ETAG 020, Edition March 2012

The notified body

1109-BPR

performed

System 2+

- i) initial inspection of factory and of factory production control
- ii) continuous surveillance, assessment and approval of factory production control.

and the following is displayed:

1109-BPR-0045

9. Declared performance:

Essential Characteristics	Design Method	Performance		Harmonized Technical Specification
		Steel electro-galvanized	stainless steel	
Characteristic bending resistance of the screw	ETAG 020	ETA 08/0191 Annex C1	ETA 08/0191 Annex C1	ETAG 020
Characteristic resistance of the screw	ETAG 020	ETA 08/0191 Annex C1 / C2	ETA 08/0191 Annex C1 / C2	
Displacements under tension und shear loading	ETAG 020	ETA 08/0191 Annex C3	ETA 08/0191 Annex C3	
Minimum thickness of member, edge distance and spacing	ETAG 020	ETA 08/0191 Annex B5 / B6	ETA 08/0191 Annex B5 / B6	

Where pursuant to Article 37 or 38 in the Specific Technical Documentation has been used, the requirements with which the product complies:

--

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:


 André Gedan
 (managing director sales & marketing)
 Wilthen, 10.12.2013

